
REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of Information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any genalty for failing to comply with a collection of information if it does not display a currently valid GMB control number.

PLEASE DO NOT RETURN YOUR FO	IRM TO TI	HE ABOVE ORGANIZAT	ION.			
1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE 08/21/2017 Presentation					3, DATES COVERED (From - To) 08/21/2017-08/25/2017	
4. TITLE AND SUBTITLE	<u> </u>			5a. CON	ITRACT NUMBER	
Casting & Splinting						
				5b. GRANT NUMBER		
				C- DOCODARI EL EMENTANTIMO ED		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				Su. PROJECT MONIBER		
Capt Marion Sanders				<u> </u>		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
				<u> </u>		
7. PERFORMING ORGANIZATION NA	IME(S) AN	ID ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER	
59th Clinical Research Division					KEPOKI NUMBEK	
1100 Willford Hall Loop, Bldg 4430						
JBSA-Lackland, TX 78236-9908					17325	
210-292-7141						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)	
59th Clinical Research Division						
1100 Willford Hall Loop. Bldg 4430						
JBSA-Eackland, TX 78236-9908					44 COONCORMONITORIS DEPORT	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
210-292-7141					Homberdoy	
12. DISTRIBUTION/AVAILABILITY STATEMENT						
Approved for public release. Distribution is unlimited.						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
14. ABSTRACT						
AS OUR LEAT TERMS						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF	18. NUMBER		IE OF RESPONSIBLE PERSON	
a. REPORT b. ABSTRACT c. THIS PAGE ABSTRACT OF PAGE:				Clarice	Longoria	
					EPHONE NUMBER (Include area code)	
	ļ				210-292-7141	





"The views expressed are those of the presenter(s) and do not policy of the Department of Defense or its Components" reflect the official views or





▶ Points to Discuss with Patient

> Self Evaluation

∀ Splint

∇ast

▶ General Principles

▶ Materials Needed

> Cast Vs Splint

✓ Indications

Overview




Indications



> Severe ankle sprains and tendinopathy

> Isolated nondisplaced malleolar fracture



Case courtesy of Kara Iskyan, MD, Medscape.com





Cast Vs Splint

Casting

▶ Definitive Management

➤ Does not allow for continued

swelling

▶ Better control of ROM

Splinting

Acute Management

Allows for acute swelling

May be static – preventing motion

May be dynamic – functional or assisting with control

ROM limited by application and compliance

Stirrup helps prevent ankle inversion/eversion



Materials Needed



Trauma Shears

2 inch paper tape

Chux pads

Elastic Bandages (ACE Wrap)

Padding (Webril)

▼ Water Receptacle (tepid water 70-80°)

Splinting Material

➤ Plaster of Paris, Pre-fabricated plaster or fiberglass (Orthoglass)

Casting Material

> Fiberglass







General Principles

Measure out dry material at extremity being treated

➤ Plaster shrinks slightly when wet; If too long can fold ends back

> Can be measured on contralateral extremity

Apply 2-3 layers of webril, avoid wrinkles, place extra padding on bony

prominences and between digits if needed

Use approximately 10-12 layers of splinting material (dependent on size of (Individual)

Mold with palms of hand vs fingers

After complete check for function, arterial pulse, capillary refill, temperature of skin, and sensation

Plain films or flouroscopy to evaluate injury and splint/cast

Splinting Order

- ➢ Place patient in prone position when possible
- > Ankle flexion at 90°
- > Exception for Achilles injury
- > Ankle will be placed in equinos
- ➤ Ensure ankle is neither inverted nor everted





Splinting Order (cont)

- > Apply stockinette and/or webril first
- > Apply wet/prepared splinting material
 - ▶ Cover with webril
- > Secure with elastic (ACE) band
- Mold splinting material as needed







> Apply stockinette first, then webril

>Apply wet/prepared initial casting material

> Fold over excessive stockinette

> Apply second layer of wet/prepared casting material

➤ Mold casting material as needed





Self Evaluation

> Is injured extremity in desired position?

> Ankle dorsiflexion at 90°

> Ankle without eversion/inversion

▶ Neurovascularly intact distally

Does injured extremity maintain good color, temp, and cap refill

➤ Were thermal injuries avoided by ensuring water was not hot and cast was

not too thick

Molding

> Place lateral aspects of thumbs on the malleolus and apply even pressure

➤ Place palm of hand on calcaneus and apply pressure

> Place palm of hand on the plantar surface and apply pressure

> Pressure application should be held until the contours take shape





Patient Education

· Elevate injured extremity at home

Prop on pillow if needed

Continue moving other toes, knee, and hips periodically throughout the day

If cast feels tight despite elevation seek medical assistance

Do not scratch under cast; do not get cast wet

Get immediate assistance if:

Numbness (pins and needles) of toes

➤ Excessive swelling of toes

▶ Blueness or whiteness of toes

> Severe pain

Conclusion

▶ Key Points Before any Casting/Splinting ▶ Materials Needed ➤ Cast Vs Splint > Splint

✓ Indications





> Self Evaluation

Cast
 Cast





References

Boyd, A. S., Benjamin, H. J., & Asplund, C. (2009).

Principles of casting and splinting. American Family Physician, 80(5).

Retrieved from http://www.aafp.org/afp/2009/0901/p491.html#ref-list-1

METC Orthopedic Specialty Program

Contact Information

Marion V. Sanders, Capt, PA-c, BSC Orthopaedic Surgery Resident San Antonio Military Medical Center marion.v.sanders.mil@mail.mil

Scan Log

E-mail Sent

Date: Friday, 2017-08-11 14:49

To: clarice.g.longoria.ctr@mail.mil

From: 4430-133A@us.af.mil

Subject: 17325 sanders

Message:

Attachments: image2017-08-11-144833.pdf